	PLAN OF CARE — ANAPHYLAXIS STUDENT INFORMATION					
School	Age	Homeroom Teacher	Student Name			
	PLAN OF CARE — ANAPHYLAXIS					
STUDENT INFORMATION						

	PLAN OF CARE -	– ANAPHYLAXIS				
STUDENT INFORMATION	N					
Student Name	Date Of Birth					
Ontario Ed. #	Age		Student Photo (optional)			
Grade	Teacher(s)					
EMERGENCY CONTACTS (LIST IN PRIORITY)						
NAME	RELATIONSHIP	DAYTIME PHONE	ALTERNATE PHONE			
1.						
2.						
3.						
KNOWN LIFE-THREATENING TRIGGERS						
	CHECK (✓) THE API	PROPRIATE BOXES				
☐ Insect Stings: ☐ Food(s):						
Epinephrine Auto-Injector(s) Expiry Date (s):						
Dosage: ☐ EpiPen® Jr. 0.15 mg	☐ EpiPen® 0.30 mg	Location Of Auto-Injector(s):				
☐ Has asthma. <b>Student</b> breathing, give epinephr	reaction: <b>Student is at g</b> is at greater risk. If studine before asthma medicandition or allergy?	lent is having a reaction ation.	•			

# PLAN OF CARE — ANAPHYLAXIS STUDENT INFORMATION School Age Homeroom Teacher Student Name

### DAILY/ROUTINE ANAPHYLAXIS MANAGEMENT

#### **SYMPTOMS**

A STUDENT HAVING AN ANAPHYLACTIC REACTION MIGHT HAVE <u>ANY</u> OF THESE SIGNS AND SYMPTOMS:

- **Skin system**: hives, swelling (face, lips, tongue), itching, warmth, redness.
- **Respiratory system** (breathing): coughing, wheezing, shortness of breath, chest pain or tightness, throat tightness, hoarse voice, nasal congestion or hay fever-like symptoms (runny, itchy nose and watery eyes, sneezing), trouble swallowing.
- Gastrointestinal system (stomach): nausea, vomiting, diarrhea, pain or cramps.
- Cardiovascular system (heart): paler than normal skin colour/blue colour, weak pulse, passing out, dizziness or light-headedness, shock.
- Other: anxiety, sense of doom (the feeling that something bad is about to happen), headache, uterine cramps, metallic taste.

EARLY RECOGNITION OF SYMPTOMS AND IMMEDIATE TREATMENT COULD SAVE A PERSON'S LIFE.

Avoidance of an allergen is the main way to prevent an allergic reaction.					
Food Allergen(s): eating even a small amount of a certain food can cause a severe allergic reaction.					
Food(s) to be avoided:					
Safety measures:					
Insect Stings: (Risk of insect stings is higher in warmer months. Avoid areas where stinging insects nest or congregate. Destroy or remove nests, cover or move trash cans, keep food indoors.)					
Designated eating area inside school building					
Safety measures:					
Other information:					

PLAN OF CARE — ANAPHYLAXIS							
STUDENT INFORMATION							
School	Age	Homeroom Teacher	Student Name				

## EMERGENCY PROCEDURES (DEALING WITH AN ANAPHYLACTIC REACTION)

ACT QUICKLY. THE FIRST SIGNS OF A REACTION CAN BE MILD, BUT SYMPTOMS CAN GET WORSE QUICKLY.

### **STEPS**

- 1. Give epinephrine auto-injector (e.g. EpiPen®) at the first sign of a known or suspected anaphylactic reaction.
- 2. Call 9-1-1. Tell them someone is having a life-threatening allergic reaction.
- 3. Give a second dose of epinephrine as early as five (5) minutes after the first dose if there is no improvement in symptoms.
- 4. Follow direction of emergency personnel, including transport to hospital (ideally by ambulance), even if symptoms are mild or have stopped. The reaction could worsen or come back, even after treatment. Stay in the hospital for an appropriate period of observation as decided by the emergency department physician (generally about 4 6 hours).
- 5. Call emergency contact person; e.g. Parent(s)/Guardian(s).

### HEALTHCARE PROVIDER INFORMATION (OPTIONAL) Healthcare provider may include: Physician, Nurse Practitioner, Registered Nurse, Pharmacist, Respiratory Therapist, Certified Respiratory Educator, or Certified Asthma Educator. Healthcare Provider's Name: Profession/Role: Signature: Date: Special Instructions/Notes/Prescription Labels: If medication is prescribed, please include dosage, frequency and method of administration, dates for which the authorization to administer applies, and possible side effects. **★**This information may remain on file if there are no changes to the student's medical condition. **AUTHORIZATION/PLAN REVIEW** INDIVIDUALS WITH WHOM THIS PLAN OF CARE (POC) IS TO BE SHARED: **Note:** Only individuals involved in the daily/routine management require the entire Plan of Care. All others will receive Emergency Procedures Section only. Please select one of the following: ☐ DSBN Teaching and Support Staff, Niagara Student Transportation Services and food service providers. ☐ Only those listed below: \_\_\_\_\_ Parent(s)/Guardian(s): \_\_\_\_\_ Date: Signature Student: Date: Signature Principal: Date: Signature